

MATERIAL SAFETY DATA SHEET**SECTION 1 - PRODUCT SOURCE AND IDENTITY**

Supplier identity and address	Product description:	Date: April 23, 2010
Glaze 'N Seal 18207 East McDermott Street, Suite C Irvine, CA 92614-6711	Name: Glaze 'N Seal Stone Stripper Purpose: Concentrated water-base stripper to remove wax & acrylic polish from fine stone Proprietary Formula Code: SS 873-0110	
Emergency telephone: 800-424-9300	Product information:	800-486-1414

SECTION 2 - HAZARDOUS INGREDIENT / IDENTITY INFORMATION

Name	% Optional	CAS, No.	OSHA PEL	ACGIH TLV (source)
Monoethanolamine	<25%	141-43-5	3 PPM	3 PPM
Ethylene glycol Butylether	<20%	111-76-2	5 PPM	25 PPM
Surfactant blend	<20%	Non-hazardous		
Water	>50%	7732-18-5		

SECTION 3 - PHYSICAL DATA

Boiling point:	100-173° C	Specific gravity:	1.0
Vapor pressure (mmHg @ 20° C):	0.3	Vapor Density (Air=1):	2.7
Melting point:	N/A	Solubility in water:	Completely soluble
Evaporation rate:	N/A	pH:	11.5
Appearance and odor:	Clear pale yellow liquid with ammonia-like odor		

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash point:	62° C (TCC method)
Extinguishing media:	NFPA Class B extinguishers for Class IIIA liquid fires
Fire fighting procedures:	NIOSH approved positive-pressure breathing apparatus
Fire & explosion hazard:	Combustible

SECTION 5 - SHIPPING CLASSIFICATION

Dot shipping name:	Corrosive liquids, N.O.S., 8, UN1760, PG-111
Drum label:	(Corrosive)
Exempt from DOT label requirement when shipped in 1 gallon containers or less.	

SECTION 6 - REACTIVITY DATA

Stability:	Stable
Incompatibility:	Acids, strong oxidizers
Conditions to avoid:	Open flame
Hazardous polymerization:	None
Hazardous decomposition products:	Carbon monoxide, nitrogen oxides

SECTION 7 - HEALTH HAZARDS

Primary route of entry:	Eye: X	Skin: X	Inhalation: X
Signs and symptoms of over-exposure (acute):	Irritation of the skin, eyes, and mucous membranes		
Eyes:	Can cause mild irritation		
Skin:	Can cause mild irritation		
Ingestion:	Can cause mild irritation		
Inhalation:	Can cause mild upper respiratory tract irritation		
Medical conditions aggravated by over-exposure:	none reported		
HMIS Hazard Ratings:	Health: 3 Flammability: 2 Reactivity: 0 Personal protection: X (See Section 8)		
HMIS Hazard Index:	Insignificant: 0 Slight: 1 Moderate: 2 Serious: 3 Severe: 4		

SECTION 8 - SUGGESTED EMERGENCY & FIRST AID PROCEDURES

Eyes:	If in eyes, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
Skin:	Wash with soap and water.
Inhalation:	Remove affected individual to fresh air. If breathing has stopped, give artificial respiration.
Ingestion:	Do NOT induce vomiting. Give large amounts of water. Get medical attention immediately.

SECTION 9 - SPECIAL PROTECTION INFORMATION

Use only with adequate ventilation or with NIOSH approved positive pressure self-contained breathing apparatus. Use safety glasses. Wear PVC or latex gloves, apron, and footwear impervious to this material.

SECTION 10 - SPILL OR LEAK PROCEDURES

For small spills, mop up and place in waste container. For large spills, absorb with clay or other material, and flush with water. Floor may be slippery. Dispose observing local, state and federal health, safety and pollution laws.

SECTION 11 - STORAGE AND HANDLING INFORMATION

Store in a cool, well ventilated place away from heat and acids.

SECTION 12 - ADDITIONAL INFORMATION AND OTHER INSTRUCTIONS

Keep out of reach of children.

The Information contained herein is to the best of our knowledge and belief, accurate and reliable as the date compiled. However, no representation, warranty, or guarantee is made as to its accuracy or reliability of completeness. It is the user's responsibility to satisfy himself or herself as to the suitability and completeness of such information for his or her own particular use.

We do not accept liability for any loss or damage that may occur from use of this information.